

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L3	44	lens and elastic same adjustable near2 length	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TD B	2008/01/02 18:53
2	BRS	L4	3	lens and elastic near suspension and adjusting and second near body	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TD B	2008/01/02 18:54

	Type	Ref #	Hits	Search Text
50	BRS	S51	618	(indicium or score) and S50
51	BRS	S52	7071	"2822"
52	BRS	S53	38	"5715031"
53	BRS	S54	4	"706193"
54	BRS	S55	45	"5260727"
55	BRS	S56	16	"6172957"
56	BRS	S57	1	"5260727" and effective near aperture
57	BRS	S58	2	"5260727" and bessel
58	BRS	S59	2	"5260727" and bessel and phase
59	BRS	S60	2	"5260727" and bessel and phase and aperture
60	BRS	S61	9	"5260727" and frequency
61	BRS	S63	6959	(move or movable or track or tracking or adjust or adjustable) and S62
62	BRS	S65	1651	(move or movable or track or tracking or adjust or adjustable) same (elastic or flexible or resilient) and S62
63	BRS	S64	2503	(move or movable or track or tracking or adjust or adjustable) same (elastic or flexible or resilient) and S62
64	BRS	S62	8320	lens and pickup and (elastic\$3 or resilient\$3 or flexibl\$3)
65	BRS	S66	11	"5561648"

	DBs	Time Stamp	Comments	Error Definition
50	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/09/11 23:50		
51	USPAT	2007/11/12 21:25		
52	USPAT	2007/11/27 23:22		
53	USPAT	2007/11/27 23:28		
54	USPAT	2007/11/27 23:39		
55	USPAT	2007/11/27 23:29		
56	USPAT	2007/11/27 23:37		
57	USPAT	2007/11/27 23:43		
58	USPAT	2007/11/27 23:47		
59	USPAT	2007/11/27 23:51		
60	USPAT	2007/11/27 23:52		
61	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2008/01/02 11:14		
62	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2008/01/02 15:55		
63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2008/01/02 11:15		
64	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2008/01/02 11:09		
65	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2008/01/02 18:48		